

**NAME**

**apv** - PDF/DJVU/EPUB/HTML/TXT viewer with vim-like behaviour

**SYNOPSIS**

**apv** [options] [file]

**DESCRIPTION**

apv is a PDF/DJVU/EPUB/HTML/TXT viewer, which behaves like vim.

**OPTIONS**

**-c** *file*

Load configuration from *file* instead of the default *~/.apvrc*

**-h**

Show help message and exit

**-v**

Show version and exit

**COMMANDS**

The following command keys can be used inside apv. Some of them may be prefixed by a number (as in pressing "13G"), this is indicated by a *count* in their description. Unless noted otherwise, the default value for the number is 1.

- o Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file
- O Select a directory to display
- t Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file in a new tab
- T Select a directory to display in a new tab
- R Reload the current file
- r Rotate the document clockwise by 90 degrees
- G Show page number *count*
- gt Show next tab

- gT Show previous tab
  
- PageDown, C-f  
Go forward *count* pages
  
- PageUp, C-b  
Go backward *count* pages
  
- C-d Go forward *count* half pages
  
- C-u Go backward *count* half pages
  
- H Scroll to page head
  
- M Scroll to page middle
  
- L Scroll to page bottom
  
- s skip some pages *count*
  
- C-p, Up, k  
Scroll up *count* units
  
- C-n, Down, h  
Scroll down *count* units
  
- Backspace, Left, h  
Scroll left *count* units
  
- Space, Right, l  
Scroll right *count* units
  
- / *string*  
Search forwards for *string*
  
- ? *string*  
Search backwards for *string*
  
- f Toggle between fullscreen and window mode

zi Zoom in

zo Zoom out

zw Zoom to fit window width

zh Zoom to fit window height

m *char*

Mark the current position to *char*, so that it can be recalled by pressing *char*

' *char* Return to the mark position *char*

'' Return to the last position

q Close the current window

ZZ quit the viewer with ZZ, like Vim

v Select a area

C-v Select a rectangle area

y copy the select area text to clipboard

c toggle content display

U underline selected text

A annotate selected text

C comment selected text

## SETTINGS

These can be set in ~/.apv1vrc with "set *setting* [= *value*]".

fullscreen = yes/no

Enable/Disable fullscreen

width = *int*

Default window width

*height = int*

Default window height

*fix\_width = int*

fixed width

*fix\_height = int*

fixed height

*defaultdir = path*

Default directory for the open dialogue

*zoom = mode*

Set default zoom level

*normal*

The application sets the default zoom value

*fitwidth*

Fit pages to window width

*fitheight*

Fit pages to window height

*float* 1.0 for 100%, 2.0 for 200%, etc.

*content = yes/no*

Show content view first

*content\_follow\_mode = mode*

Set default content follow mode

*none* Not follow any content, just by user press Enter.

*page* Just follow page of book.

*always*

Always follow any resources.

`continuous` = yes/no

Show PDF/DJVU/EPUB/HTML/TXT pages continuously or not.

`continuouspad` = *int*

Padding between pages for `continuous` = yes

`autoscrollpage` = yes/no

Enable/Disable scrolling the pages when hitting a page tail/head

`noinfo` = yes/no

Disable/Enable the usage of `~/.apv1vinfo`

`pdfcache` = *int*

Set pdf cache size

`[no]cache` = yes/no

Disable/Enable cache

`scrollbar` = yes/no

Set show scrollbar or not

`visualmode` = yes/no

Set use visual mode to select and copy text or not

`wrapscan` = yes/no

Set wrapscan to search text or not

`doubleclick` = *action*

Set default double click action

`none` Selection nothing

`word` Selection a word under the cursor to clipboard

`line` Selection a line under the cursor to clipboard

`page` Selection a page under the cursor to clipboard

`guioptions` = m/T/mT

Weather display menu, toolbar, or menu and toolbar.

autoreload = *int*

If auto reload document after some seconds

inverted = yes/no

If use inverted mode for pdf page

background = *color*

Set background color

## PROMPT

Like the COMMANDS, but prefixed with a colon:

:h[elp]

Display the help document

:q[uit] Close the current window

:o[pen] *file*

Open *file*

:doc *file*

Load *file* into the current window

:TOtext [*file*]

Translate *file* (or the current page) to a text file

:pr[int]

Print the current document

:tabnew

Create a new tab

:sp Horizontally split the current window

:vsp Vertically split the current window

:fp, :forwardpage [*int*]

Go forward *int* pages (1 by default)

:bp, :prewardpage [*int*]

Go backward *int* pages (1 by default)

**:g, :goto** *int*

Go to page *int*

**:z[oom]** *mode*

Set zoom to *mode* (see "set zoom" in SETTINGS)

**:int** Go to page *int*

**:content**

toggle content display

## AUTHORS

apv(1) was written by Alf <naihe2010@126.com>.

This manual page was originally written by Stefan Ritter <xenox@thehappy.de> for the Debian project (but may be used by others), and was rewritten more beautifully by Daniel Friesel <foobar@derf.homelinux.org>.